


Product specification

CCT Adjustable COB LED STRIP

Model : GE576VWCOBA




CCT Adjustable COB LED Strip



Product Features

1. No spot, no shadow, soft light.
2. The antistatic grade (MIL – STD – 883 – e) : HBM level 2 (2000 ~ 4000 v)
3. The largest emitting angle can reach to 180°
4. Can be cut, and be free to cut off and weld along with the above cutting line.

Structure





Parameter

Model No	GE576VWCOBA	LED Q'ty/m	576/m
Input voltage	DC 24V	SMD Type	COB
Max Power/m	20W	Lifetime hour	50000h
Max current / unit	23mA	Warranty	3years
CRI(Ra)	>90Ra	Working temperature	-20 °C ~+45 °C
Color	WW+W	Segment	27.8mm
Color temperature	2700~6500K	PCB Width	12mm
Lumen / m	950~1160lm		


CCT Adjustable COB LED Strip

Cautions




If the led strip needs to be torn up, please make sure that the self adhesive tape is torn with the led strip, otherwise the led strip will be damaged


When install the led strip, please note the installation technique. The led strip can be bent, but not distorted, as shown below.




Distortion(Wrong)




Bend(Right)

 LED strips are low voltage products, you must use the power supply(transformer). Please don't connect the led strip directly to the AC 110v or AC 220v, otherwise it will burn out the LED strips.

 Clean up the installation surface, it will ensure the reliability of the adhesive. The electrical connection process must be operated by a professional person.

CCT Adjustable COB LED Strip

Wiring Diagram



Package

